

```
CREATE TABLE subject
(
  subid int NOT NULL AUTO_INCREMENT,
  gender int,
  nationality char(5),
  major char(10),
  other char(10),
  PRIMARY KEY (subid))
```

```
CREATE TABLE answer
(
  subid int not null,
  fraction char(5),
  source char(5),
  ub char(15),
  lb char(15),
  choice char(5))
```

```
CREATE TABLE exchangeable_event
(
  subid int not null,
  source char(5),
  fraction char(5),
  value char(15))
```

```
CREATE TABLE consistency
(
  subid int not null,
  source char(5),
  fraction char(5),
  value char(15))
```

```
CREATE TABLE CE
(
  subid int not null,
  source char(5),
  fraction char(5),
  value char(5))
```

```
CREATE table question
(
  qid char(5) primary key not null,
  type char(5),
  content char(10))
```

```
CREATE TABLE answerfora
(
  qid char(5), FOREIGN KEY(qid)REFERENCES question(qid),
```

```
subid int ,FOREIGN KEY(subid)REFERENCES subject(subid),  
ans char(5))
```

Create table matching

```
(  
subid int not null,  
mpsource char(15),  
side char(15),  
mpstep char(5),  
mp char(5),  
mpvalue char(5));
```